

État des connaissances actuelles de quatre maladies affectant le fraisier : moisissure grise, blanc du fraisier, tache commune et tache angulaire

Catherine Thireau et Marianne Lefebvre, PRISME

Projet Prime-Vert : PRIS-2-16-1802

Durée : Février 2017/Mars 2018

Références bibliographiques par maladie

- **Moisissure grise (*Botrytis cinerea*)**

Blanco, C., De Los Santos, B., & Romero, F., 2006. Relationship between concentrations of *Botrytis cinerea* conidia in air, environmental conditions, and the incidence of grey mould in strawberry flowers and fruits. *European Journal of Plant Pathology*, 114(4), 415-425. <https://doi.org/10.1007/s10658-006-0007-3>

Braun, P. G., Sutton, J. C., 1987. Inoculum sources of *Botrytis cinerea* in fruit rot of strawberries in Ontario. *Canadian Journal of Plant Pathology*, 9(1), 1-5. <https://doi.org/10.1080/07060668709501903>

Braun, P. G., Sutton, J. C., 1988. Infection cycles and population dynamics of *Botrytis cinerea* in strawberry leaves. *Canadian Journal of Plant Pathology*, 10(2), 133-141. <https://doi.org/10.1080/07060668809501745>

Carisse, O., Tremblay, D. M., Lefebvre, A., 2014. Comparison of *Botrytis cinerea* airborne inoculum progress curves from raspberry, strawberry and grape plantings. *Plant Pathology*, 63(5), 983-993. <https://doi.org/10.1111/ppa.12192>

Cota, L. V., Maffia, L. A., Mizubuti, E. S. G., Macedo, P. E. F., Antunes, R. F., 2008. Biological control of strawberry gray mold by *Clonostachys rosea* under field conditions. *Biological Control*, 46(3), 515-522. <https://doi.org/10.1016/j.biocontrol.2008.04.023>

Elad, Y., Williamson, B., Tudzynski, P., Delen, N., 2007. *Botrytis: Biology, Pathology and Control*. (Y. Elad, B. Williamson, P. Tudzynski, & N. Delen, Eds.). Springer. Retrieved from <http://www.e-agriculture.biz/download/Plant Pathology/Botrytis - Biology%2C Pathology and Control.pdf>

Gobeil-Richard, M., 2014. Mise au point d'une méthode par pyroséquençage de détection et quantification des mutations liées à la résistance au Boscalide chez *Botrytis cinerea*. Mémoire de Maîtrise en biologie. Département de biologie, Université de Sherbrooke.

Gossen, B.D., Carisse, O., Kawchuk, L., Van Der Heyden, H., McDonald, M., 2014. Recent changes in fungicide use and the fungicide insensitivity of plants pathogens in Canada, *Canadian Journal of Plant Pathology*, 36:3, 327-340, <http://dx.doi.org/10.1080/07060661.2014.925506>

Gossen, B.D., Carisse, O., Kawchuck, L., Van Der Heyden, H., McDonald, M.R., 2013. The changing landscape of fungicide insensitivity in crop pathogens in Canada. *Canadian Journal of Plant Pathology*

Mertely, J. C., MacKenzie, S. J., Legard, D. E., 2002. Timing of Fungicide Applications for *Botrytis cinerea* Based on Development Stage of Strawberry Flowers and Fruit. *Plant Disease*, 86(9), 1019. 1024. <https://doi.org/10.1094/PDIS.2002.86.9.1019>

Peng, G., Sutton, J. C., Kevan, P. G., 1992. Effectiveness of honey bees for applying the biocontrol agent *gliocladium roseum* to strawberry flowers to suppress *botrytis cinerea*. *Canadian Journal of Plant Pathology*, 14(2), 117. 129. <https://doi.org/10.1080/07060669209500888>

Rasiukevi iute, N., Valiuýkaite, A., Surviliene-Radzevi e, E., & Suproniene, S., 2013. Investigation of *Botrytis cinerea* risk forecasting model of strawberry in Lithuania. Proceedings of the Latvian Academy of Sciences, Section B: Natural, Exact, and Applied Sciences. <https://doi.org/10.2478/prolas-2013-0032>

Van der Heyden, H., 2013. Spatial analysis of fungicide resistance mutations in *Botrytis spp.* Populations. Department of Plant Science, McGill University.

Williamson, B., Tudzynski, B., Tudzynski, P., Van Kan, J.A.L., 2007. *Botrytis cinerea*: the cause of grey mould disease. *Mol. Plant Pathol.* 8, 561. 580.

Xu, X., Harris, D. C., & Berrie, A. M., 2000. Modeling Infection of Strawberry Flowers by *Botrytis cinerea* Using Field Data. *Phytopathology*, 90(12), 1367. 1374. <https://doi.org/10.1094/PHYTO.2000.90.12.1367>

- **Blanc du fraisier (*Podosphaera aphanis*)**

Asalf, B., Gadoury, D. M., Tronsmo, A. M., Seem, R., Stensvand, A., 2016. Effects of Development of Ontogenic Resistance in Strawberry Leaves Upon Pre-and Postgermination Growth and Sporulation of *Podosphaera aphanis*. *Plant Disease*, 100(1), 72. 78. <https://doi.org/10.1094/PDIS-02-15-0193-RE>

Asalf, B., Gadoury, D. M., Tronsmo, A. M., Seem, R. C., Dobson, A., Peres, N. A., & Stensvand, A., 2014. Ontogenic resistance of leaves and fruit, and how leaf folding influences the distribution of powdery mildew on strawberry plants colonized by *Podosphaera aphanis*. *Phytopathology*, 104(9), 954. 963. <https://doi.org/10.1094/PHYTO-12-13-0345-R>

Bardet, A., Sombardier, A., Blancard, D., Corio-Costet, M.-F., Denoyés-Rothan, B., Petit, A., Pommier, J.-J., 2010. Løpidium du fraisier. Infos CTIFL, mai 2010, no 261, 50-55.

Belachew Asalf, Andrew Dobson, David Gadoury, A.S., 2016. Controlling Strawberry Powdery Mildew with Frequent Overhead Sprinkling with Water. Conférence présentée au North American Strawberry Growers Association Annual Meeting and Conférence. Savannah, Georgia, USA

Blanco, C., de los Santos, B., Barrau, C., Arroyo, F. T., Porras, M., and Romero, F., 2004. Relationship among concentrations of *Sphaerotheca macularis* conidia in the air,

environmental conditions, and the incidence of powdery mildew in strawberry. *Plant Dis.* 88:878-881.

Bouchard, J., 2008. Épidémiologie et évaluation de systèmes prévisionnels comme outil de lutte raisonnée contre le blanc (*Sphaerotheca afacularis*) chez le fraisier à jour neutre et conventionnel (Mémoire de Maîtrise, Université Laval, Canada).

Carisse, O., Lefebvre, A., Van Der Heyden, H., Roberge, L., & Brodeur, L., 2013. Analysis of Incidence. Severity Relationships for Strawberry Powdery Mildew as Influenced by Cultivar, Cultivar Type, and Production Systems. *Plant Disease*, 97(3), 354-362. Retrieved from <https://apsjournals.apsnet.org/doi/pdf/10.1094/PDIS-05-12-0508-RE>

Carisse, O., & Bouchard, J., 2010. Age-related susceptibility of strawberry leaves and berries to infection by *Podosphaera aphanis*. *Crop Protection*, 29(9), 969-978. <https://doi.org/10.1016/j.cropro.2010.03.008>

Carisse, O., Morissette-Thomas, V., & Van der Heyden, H., 2013. Lagged Association Between Powdery Mildew Leaf Severity, Airborne Inoculum, Weather, and Crop Losses in Strawberry. *Phytopathology*, 103(8), 811-821. <https://doi.org/10.1094/PHTO-11-12-0300-R>

Gadoury, D.M. Asalf, B., Heidenreich, C.M., Herrero, M.L., Welser, M.J., Seem, R.C., Tronsmo, A.M., Stensvand, A., 2010. Initiation, Development, and Survival of Cleistothecia of *Podosphaera aphanis* and Their Role in the Epidemiology of Strawberry Powdery Mildew. *Phytopathology*, 100(3), 246-251.

Goyette, M-H., 2017. Évaluation du silicium (Si) contre le blanc du fraisier dans un système de production commerciale en champ (Mémoire de Maîtrise, Université Laval, Canada).

Janisiewicz, W. J., Takeda, F., Nichols, B., Glenn, D. M., Jurick, W. M., & Camp, M. J., 2016. Use of low-dose UV-C irradiation to control powdery mildew caused by *Podosphaera aphanis* on strawberry plants. *Canadian Journal of Plant Pathology*, 38(4), 430-439. <https://doi.org/10.1080/07060661.2016.1263807>

Ouellette, S., 2016. Le rôle du silicium dans la répression du blanc chez le fraisier (Mémoire de Maîtrise, Université Laval, Canada).

Ouellette, S., Goyette, M.-H., Labbé, C., Laur, J., Gaudreau, L., Gosselin, A., & Bélanger, R., 2017. Silicon Transporters and Effects of Silicon Amendments in Strawberry under High Tunnel and Field Conditions. *Frontiers in Plant Science*, 8, 949. <https://doi.org/10.3389/fpls.2017.00949>

Pommier, J.-J., 1998. Thrips control using mist in strawberries. *Arboriculture fruitière*.513, 25-28

Sombardier, A., Dufour, M.-C., Blancard, D., and Corio-Costet, M.-F., 2010. Sensitivity of *Podosphaera aphanis* isolates to DMI fungicides: Distribution and reduced cross-sensitivity. *Pest Management Sci.* 66:35-43.

Sombardier, A., Savary, Sé., Blancard, D., Jolivet, J., Willocquet, L., 2009. Effects of leaf surface and temperature on monocyclic processes in *Podosphaera aphanis* causing powdery mildew of strawberry, *Canadian Journal of Plant Pathology*, volume 31, issue 4, 439-448.

Suthaparan, A., & Gadoury, D. M., n.d. Suppression of Powdery Mildews by UV-B: Application Frequency and Timing, Dose, Reflectance, and Automation. <https://doi.org/10.1094/PDIS-12-15-1440-RE>

Van der Heyden, H., Lefebvre, M., Roberge, L., Brodeur, L., et Carisse, O., 2014. Spatial pattern of strawberry powdery mildew (*Podosphaera aphanis*) and airborne inoculum. *Plant Disease* 98(1):43-54. <https://doi.org/10.1094/PDIS-10-12-0946-RE>

Xie, Z., Fan, J., Th, M., Ese Charles, E., Charlebois, D., Khanizadeh, S., & Zhang, Z., 2016. Preharvest ultraviolet-C irradiation: Influence on physicochemical parameters associated with strawberry fruit quality. *Plant Physiology and Biochemistry*, 108, 337. 343. <https://doi.org/10.1016/j.plaphy.2016.07.026>

- **Tache commune (*Mycosphaerella fragariae*)**

Carisse, O., & McNealis, V., 2018. Identification of Weather Conditions Associated with the Occurrence, Severity, and Incidence of Black Seed Disease of Strawberry Caused by *Mycosphaerella fragariae*. *Phytopathology*, 108(1), 83. 93. <https://doi.org/10.1094/PHYTO-04-17-0136-R>

Carisse, O., Bourgeois, G., & Duthie, J. A., 2000. Influence of Temperature and Leaf Wetness Duration on Infection of Strawberry Leaves by *Mycosphaerella fragariae*. *Phytopathology*, 90(10), 1120. 5. <https://doi.org/10.1094/PHYTO.2000.90.10.1120>

Carisse, O., & Peyrachon, B., 1999. Influence of temperature, cultivar, and time on sporulation of *Mycosphaerella fragariae* on detached strawberry leaves. *Canadian Journal of Plant Pathology*, 21(3), 276. 283. <https://doi.org/10.1080/07060669909501191>

Delhomez, N., Carisse, O., Lareau, M., & Khanizadeh, S., 1995. Susceptibility of Strawberry Cultivars and Advanced Selections to Leaf Spot Caused by *Mycosphaerella fragariae*. *HortScience*, 30(3), 592. 595.

- **Tache angulaire (*Xanthomonas fragariae*)**

Braun, P.G., Hildebrand, P. D., 2013. Effect of sugar alcohols, antioxidants and activators of systemically acquired resistance on severity of bacterial angular leaf spot (*Xanthomonas fragariae*) of strawberry in controlled environment conditions. *Can. J. Plant Pathology*. 35, 20. 26.

FAO, Convention internationale pour la protection des végétaux, 2016. Protocoles de diagnostic pour les organismes nuisibles réglementés, PD 14: *Xanthomonas fragariae*. NIMP27, annexe 14, 30p.

Gétaz, M., Bühlmann, A., Schneeberger, P. H. H., Van Malderghem, C., Duffy, B., Maes, M., & Cottyn, B., 2017. A diagnostic tool for improved detection of *Xanthomonas fragariae* using a rapid and highly specific LAMP assay designed with comparative genomics. *Plant Pathology*, 66(7), 1094. 1102. <https://doi.org/10.1111/ppa.12665>

Henry, P. M., Gebben, S. J., Tech, J. J., Yip, J. L., & Leveau, J. H. J., 2016. Inhibition of *Xanthomonas fragariae*, causative agent of angular leaf spot of strawberry, through iron deprivation. *Frontiers in Microbiology*, 7(OCT), 1. 11. <https://doi.org/10.3389/fmicb.2016.01589>

Hildebrand, P. D., Braun, P. G., Renderos, W. E., Jamieson, A. R., Mcrae, K. B., & Binns, M. R., n.d. A quantitative method for inoculating strawberry leaves with *Xanthomonas fragariae*, factors affecting infection, and cultivar reactions. Retrieved from <http://www.tandfonline.com/doi/pdf/10.1080/07060660509507189?needAccess=true>

Lewers, K. S., Maas, J. L., Hokanson, S. C., Gouin, C., & Hartung, J. S., 2003. Inheritance of Resistance in Strawberry to Bacterial Angular Leafspot Disease Caused by *Xanthomonas fragariae*. *Journal of the American Society for Horticultural Science*, 128(2), 209. 212.

Roberts, P. D., Berger, R. D., Jones, J. B., Chandler, C. K., and Stall, R. E.,1997. Disease progress, yield loss, and control of *Xanthomonas fragariae* on strawberry plants. *Plant Dis*. 81:917-921.